State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-34-34 Relating to Certification of New Motor Vehicles

ALFA LANCIA

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1992 model Alfa Lancia exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: NAR2.0V5FMT6 Displacement: 2.0 Liters (119 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Three-Way Catalyst Heated Oxygen Sensor Multipoint Electronic Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The emission standards for this engine family in grams per mile are as follows:

<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
0.41	7.0	0.4

The certification emission values for this engine family in grams per mile are as follows:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
0.20	1.4	0.2

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." for the aforementioned model year (Title 13, California Code of Regulations, Section 1968).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2290).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 26 day of June, 1991.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

٨.



GO M€

PAAA PAAA PADC ARB

E.F.	NAR2.0	
Sect.	17.09.00	
Page	15	

(Cert. see A-Auto Weight Part No. Part Std.) Attachmt.) M-Man.	PT
Pass Car X Lt-Duty Truck Med-Duty Vehicle Fuel Type GAS Engine Config. L4 Liter (CID) 2.0 (119) Evaporative Family E1588 Exhaust ECS & Special Features (incl. CARB, MPI, etc.) MPI - TWC - HO2S (Use abbreviations per SAE J1930 Jun88) Engine: Front X Mid. Rear Drive: FWD RWD X 4WD-FT 4WD-I Eng. Veh. Models Trans. Equiv. RLHP Ign.Sys. EGR Cataloge Code (If Coded Type: Test (PCME/PROM) Syst. Part Code See IA-Auto Weight Part No. Part Std.) Attachmt. IM-Man. No. No. 1588 Spider 5M 3000 7.8 115.88.11.042.00 NA 164.	PT
ingine Config. L4 Liter (CID) 2.0 (119) Evaporative Family E1588 Exhaust ECS & Special Features (incl. CARB, MPI, etc.) MPI - TWC - HO2S Use abbreviations per SAE J1930 Jun88) Ingine: Front X Mid. Rear Drive: FWD RWD X 4WD-FT 4WD-I Ing. Veh. Models Trans. Equiv. RLHP Ign. Sys. EGR Catalode (If Coded Type: Test (PCME/PROM) Syst. Part Cert. see A-Auto Weight Part No. Part td.) Attachmt.) M-Man. No. 164. 1588 Spider 5M 3000 7.8 15.88.11.042.00 NA 164.	oT
<pre>In the second in the seco</pre>	oT
Use abbreviations per SAE J1930 Jun88) ngine: Front_X_Mid Rear Drive: FWD RWD_X_4WD-FT4WD-I ng.	oT
Ingine: Front X Mid. Rear Drive: FWD RWD X 4WD-FT 4WD-Ing. Veh. Models Trans. Equiv. RLHP Ign.Sys. EGR Catalode (If Coded Type: Test (PCME/PROM) Syst. Part Cert. see A-Auto Weight Part No. Part td.) Attachmt. M-Man. No. No. 1588 Spider 5M 3000 7.8 15.88.11.042.00 NA 164.	alyst
ode/ (If Coded Type: Test (PCME/PROM) Syst. Part Cert. see A-Auto Weight Part No. Part td.) Attachmt. IM-Man. No. 1588 Spider 5M 3000 7.8 15.88.11.042.00 NA 164.	
1588 Spider 5M 3000 7.8 115.88.11.042.00 NA 164.	
	16.09.010.00
	"
	•
Date: April 15/91 Revision	